

NEW RollMatic and ThermoPro Doors



Series 2000 Price List

01.03.2010



Hörmann Garage Doors



HÖRMANN IS ALWAYS COMMITTED TO EXCELLENCE: “In Engineering, in User Safety and in Design.”

All our products are third party tested to the highest standards and are certified to the high safety requirements and performance characteristics of the European Standard 13241-1.


This gives you the reassurance that your purchase of a Hörmann product is a safe investment.

We are also committed to our national network of Garage Door Specialist Distributors. These are independent businesses, who believe in customer service and have the skills to advise you on the best product for your property, also providing quality fitting and finishing.


Hörmann were voted 'Supplier of the Year' 9 out of the 14 years it was awarded by The Association of Garage Door Specialists. This trade association is now incorporated in to the Garage Door Installer and Distributor Group of The Door and Hardware Federation.

“A great product performs at its best when fitted by experts.”


Door Operating Systems




Canopy Operating Gear



Retractable Operating Gear



Sectional Operating Gear



RollMatic Operating Gear

WARRANTY

1. Warranty Period.

The purchaser is granted a warranty covering the safe and reliable operation of the Hörmann garage door for a period of 10 years from the date of purchase.

However it is recommended that the springs, wire cables, tracks, guide rollers and hinges are inspected regularly - at least once a year. The purchaser is given a 5 year warranty against these items for normal use, whereby normal use constitutes no more than 5 operations (open/close) per day.

The warranty period for replacement parts is 6 months or for the remainder of the warranty period.

2. Requirements.

Warranty claims are only accepted in the country where the garage door was purchased.

The product must have been purchased through our authorised distribution channels.

The warranty only covers damage to the contract object. The fully completed warranty card together with the receipt of purchase correspondingly substantiate your right to claim under warranty.

3. Performance.

During the warranty period we undertake to rectify any and all defects to the Hörmann product which can be proved to be attributed to a material or manufacturing fault.

We pledge at our discretion to either exchange the defective merchandise for faultless merchandise, repair it or allow a reduction in price. Costs for dismantling, installation and carriage are also at our discretion.

Replacement parts remain our property.

The warranty does not cover damage caused through:

- Improper installation and negligent care and maintenance
- Improper initial and subsequent operation
- Negligent or wanton destruction
- External influences such as fire, water, salts, alkaline solutions, acids and any abnormal environmental influences
- Mechanical damage through improper transport and fitting
- Priming and other surface protection treatments
- Incorrect or too late applied surface protection treatments
- Repair by non-qualified persons
- Using non-Hörmann parts without the approval of the manufacturer
- Removal of the product number or making it unidentifiable.

For Electric operators the warranty period is 5 years on operator mechanics, motor and motor control systems, and 2 years on radio equipment, accessories and special systems. Batteries, fuses and bulbs are excluded from warranty.

For further details of our operator warranty please contact our office.

We reserve the right to change specification without prior notification.

Contents








	Up & Over Garage Doors Canopy and Retractable with Steel infill	4 – 7
	Up & Over Garage Doors Canopy and Retractable with Timber infill	8 – 11
	Up & Over Garage Doors Canopy and Retractable with GRP (Glass Reinforced Polyester) and PVC infill	12
	Sectional Doors Optional Extras and Window Designs	13
	Sectional Doors LTE 40 Single-skinned-Steel Sectional Doors	14
	Sectional Doors EPU 40 Double-skinned-Steel Sectional Doors	15
	Sectional Doors LPU 40 Double-skinned-Steel Sectional Doors	16 – 17
	Roller Garage Doors RollMatic	18 – 19
	Garage Door Operators Operator Accessories Gate Operators	20 – 21
	Entrance Doors ThermoPro Steel Classic and Design Doors	22 – 23

Hörmann Up-and-Over Doors

Canopy & Retractable with Steel infill



SINGLE DOORS											
Door sizes BR		2001 Vertical		2002 Horizontal		2101 Ilkley		2103 Caxton		2003 Chevron	
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.
6'6" x 6'6"	1981 x 1981	485	524	423	462						
7'0"	1981 x 2134	485	524	423	462						
6'10" x 6'4"	2083 x 1930	484	523	433	472						
6'6"	2083 x 1981	484	523	442	481						
7'0"	2083 x 2134	495	534	459	498						
7'0" x 6'4"	2134 x 1930	486	525	437	476	814	853				
6'6"	2134 x 1981	471¹	510¹	386¹	425¹	814	853	657	696	504	543
7'0"	2134 x 2134	490¹	529¹	443¹	482¹	822	861	664	703	538	577
7'6"	2134 x 2286		609		566						
7'3" x 6'4"	2210 x 1930	509 ¹	548 ¹	476	515						
6'6"	2210 x 1981	512	551	479	518						
7'0"	2210 x 2134	519	558	485	524						
7'5" x 6'6"	2261 x 1981	516	555	476	515	844	883	705	744		
7'0"	2261 x 2134	581	620	544	583	854	893	762	801		
7'6" x 6'4"	2286 x 1930	528	567	476	515	844	883				
6'6"	2286 x 1981	528 ¹	567 ¹	476 ¹	515 ¹	854	883	705	744	562	601
7'0"	2286 x 2134	581 ¹	620 ¹	545 ¹	584 ¹	854	893	762	801	618	657
7'6"	2286 x 2286		662		678						
7'8" x 6'4"	2337 x 1930	599	638	548	587						
8'0" x 6'4"	2438 x 1930	627	666	549	588	896	935				
6'6"	2438 x 1981	627 ¹	666 ¹	549	588	896	935	851	890	707	746
7'0"	2438 x 2134	649 ¹	688 ¹	562	601	906	945	895	934	737	776
7'6"	2438 x 2286		746		660						
8'0"	2438 x 2438		772		687						
8'6" x 6'6"	2590 x 1981		719		635						
7'0"	2590 x 2134		779		657						
9'0" x 6'6"	2743 x 1981		831		792						
7'0"	2743 x 2134		907		831						
10'0" x 6'6"	3048 x 1981		1006		992						
7'0"	3048 x 2134		1006		992						

Prices Marked ¹ - Optional Dark Brown RAL 8028 available. Surcharge on door, see page 7.

DOUBLE DOORS Internal Frame Sizes BR		2001 Vertical	2002 Horizontal	2101 Ilkley	Style Not Available	2003 Chevron
Imperial	Metric	Retractable	Retractable	Retractable		Retractable
11'0" x 6'6"	3353 x 1981	1245*	1223*			
7'0"	3353 x 2134	1310*	1292*			
12'0" x 6'6"	3658 x 1981	1326*	1306*			
7'0"	3658 x 2134	1385*	1362*			
13'0" x 6'6"	3962 x 1981	1400*	1377*			
7'0"	3962 x 2134	1449*	1427*			
14'0" x 6'6"	4267 x 1981	1299	1283	2106*		1657*
7'0"	4267 x 2134	1299	1283	2106*		1657*






Prices Marked * - Not available Ex stock, Delivery 2 - 3 weeks

MATCHING SIDE DOORS Ordering sizes		2001 Vertical	2002 Horizontal	Style Not Available	Style Not Available	2003 Chevron
Prices Marked ² - Not available Ex stock, Delivery 4 - 8 weeks						
875 x 1875						
875 x 2000		305	496 ²			624 ²
875 x 2125						
1000 x 2000						
1000 x 2125		325	516 ²			637 ²

Hörmann Up-and-Over Doors

Canopy & Retractable with Steel infill



SINGLE DOORS											
Door sizes BR		Vertical Decograin Golden Oak or Rosewood		Horizontal Decograin Golden Oak or Rosewood		Georgian Decograin Golden Oak or Rosewood		Marquess Decograin Golden Oak or Rosewood		2011 Open for Infill	
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.
6'6" x 6'6"	1981 x 1981									408	447
7'0"	1981 x 2134									408	447
6'10" x 6'4"	2083 x 1930									408	447
6'6"	2083 x 1981										
7'0"	2083 x 2134										
7'0" x 6'4"	2134 x 1930									408	447
6'6"	2134 x 1981	609	648	525	564	720	759	720	759	408	447
7'0"	2134 x 2134	627	666	583	622	754	793	754	793	435	474
7'6"	2134 x 2286										
7'3" x 6'4"	2210 x 1930									455	494
6'6"	2210 x 1981										
7'0"	2210 x 2134										
7'5" x 6'6"	2261 x 1981	650	689	597	636	802	841	802	841	455	494
7'0"	2261 x 2134	700	739	665	704	925	964	925	964	469	508
7'6" x 6'4"	2286 x 1930									455	494
6'6"	2286 x 1981	650	689	597	636	799	838	799	838	455	494
7'0"	2286 x 2134	700	739	665	704	925	964	925	964	468	507
7'6"	2286 x 2286										
7'8" x 6'4"	2337 x 1930									476	515
8'0" x 6'4"	2438 x 1930									476	515
6'6"	2438 x 1981	749	788	659	698	942	981	942	981	476	515
7'0"	2438 x 2134	771	810	684	723	974	1013	974	1013	476	515
7'6"	2438 x 2286										
8'0"	2438 x 2438										
8'6" x 6'6"	2590 x 1981										
7'0"	2590 x 2134										
9'0" x 6'6"	2743 x 1981										568
7'0"	2743 x 2134										578
10'0" x 6'6"	3048 x 1981										1026
7'0"	3048 x 2134										1026
DOUBLE DOORS Internal Frame Sizes BR		Style Not Available		Style Not Available		Style Not Available		Style Not Available		2011 Open for Infill Retractable	
Imperial	Metric										
11'0" x 6'6"	3353 x 1981										1386
7'0"	3353 x 2134										1448
12'0" x 6'6"	3658 x 1981										1467
7'0"	3658 x 2134										1523
13'0" x 6'6"	3962 x 1981										1540
7'0"	3962 x 2134										1590
14'0" x 6'6"	4267 x 1981										1440
7'0"	4267 x 2134										1440
Prices Marked * - Not available Ex stock, Delivery 2 - 3 weeks											
MATCHING SIDE DOORS Ordering sizes		2001 Golden Oak or Rosewood		Style Not Available		2004 Golden Oak or Rosewood		2104 Golden Oak or Rosewood		2011 Open for Infill	
Prices Marked ² - Not available Ex stock, Delivery 4 - 8 weeks											
875 x 1875											
875 x 2000		516 ²				516 ²		516 ²			305
875 x 2125											
1000 x 2000											
1000 x 2125		586 ²				586 ²		586 ²			325



The door leaf and optional box section steel frame are made of galvanised material that is polyester powder coated on both sides.

This finish is extremely durable and the standard colour is Traffic White RAL 9016.

Other colours are available listed in optional extras below.

To help maintain the aesthetic appearance of your door and prevent the build up of dirt, salt and other corrosive substances the door should be washed with a mild soap-based solution on a regular basis.

If the door is located near the coast it is important that the door panel and frame should be washed at least every 2 months.

We also suggest that all other components are brushed down on a regular basis to prevent the build up of dirt and dust etc.

The window frames on the Georgian and Ilkley doors are UPVC and white as standard.

These frames are a 2-part construction with the window material sandwiched between and frames screwed together from the back for security.

The finish of the Decograin doors is a synthetic foil-coated timber design outside (inside primer white).

The leaf frame and fixing frame is a matching powder coating.






For further choice of exciting door designs in steel, traditional or contemporary, with a vast range of sizes and increased range of colours, ask your garage door specialist about the N80 Up-and-Over garage doors available to special order.

Optional extras for Steel Doors	Price
75mm Steel fixing frame for either canopy or retractable geared single doors. Factory fitted. 8' high frame not available	95
75mm Steel fixing frame for either canopy or retractable geared single doors. Factory fitted with complimentary Decograin finish.	95
75mm Steel fixing frame for DOUBLE retractable geared doors. Only available with door at point of order.	150
60mm Steel fixing frame for canopy geared doors only. Factory fitted only.	98
60mm Steel fixing frame for canopy geared doors only. Factory fitted with complimentary Decograin finish.	98
Prices marked ¹ - optional Dark Brown RAL 8028 available. Surcharge on door.	24
Retractable plus gear for retractable doors up to 7'6" wide giving extra drive through width. Surcharge on retractable price.	32
4 point locking kit for extra security, factory fit with door order or retrofit - single door sizes only.	42
Window options for 2304 Georgian style door - Plain, Crossed or Diamond style with crystal glazing.	Incl.
Colours are available to special order in the following sizes and styles:	
2001 Vertical, 2002 Horizontal, 2101 Ilkley (Window frames white only) available in all the listed sizes.	
2004 Georgian, 2304 Georgian with windows (Window frames white only) and 2104 Marquess are available in 7066, 7070, 7566, 7570, 7666, 7670 and 8066, 8070 sizes only.	
Colours:	
Dark Brown RAL 8028, Light Blue RAL 5005, Steel Blue RAL 5011, Green RAL 6005, Red RAL 3003, Black RAL 9005.	
Includes matching frame if ordered with Door. White frame RAL 9016 also available, please specify when ordering.	
Please allow 3 - 4 weeks lead time for coloured doors.	
Please note: Caxton and Chevron Steel Up-and-Over doors are only available in white.	
Single Doors	90
Double Doors	135
Optional Handle sets	
Cast Aluminium Silver Colour and Brass Colour.	71
Cast Aluminium White RAL 9016 and Brown.	86
Brushed or Polished Stainless Steel.	106
Matching Lever Handles are also available for side doors.	P.O.A.

Hörmann Up-and-Over Doors

Canopy & Retractable with Timber infill



SINGLE DOORS											
Door sizes BR		2005 Measham		2007 Jacobean		2008 Tudor		2014 Rutland		2009 Vertical or Horizontal	
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.
6'6" x 6'6"	1981 x 1981	836	875	1011	1050	1011	1050	1011	1050	1155	1194
7'0"	1981 x 2134	836	875	1011	1050	1011	1050	1011	1050	1155	1194
6'10" x 6'4"	2083 x 1930	836	875	1011	1050	1011	1050	1011	1050	1155	1194
6'6"	2083 x 1981										
7'0"	2083 x 2134										
7'0" x 6'4"	2134 x 1930	836	875	1011	1050	1011	1050	1011	1050	1155	1194
6'6"	2134 x 1981	836	875	1011	1050	1011	1050	1011	1050	1155	1194
7'0"	2134 x 2134	836	875	1011	1050	1011	1050	1011	1050	1155	1194
7'6"	2134 x 2286										
7'3" x 6'4"	2210 x 1930	869	908	1058	1097	1058	1097	1058	1097	1197	1236
6'6"	2210 x 1981										
7'0"	2210 x 2134										
7'5" x 6'6"	2261 x 1981	869	908	1058	1097	1058	1097	1058	1097	1197	1236
7'0"	2261 x 2134	935	974	1091	1130	1091	1130	1091	1130	1225	1264
7'6" x 6'4"	2286 x 1930	869	908	1058	1097	1058	1097	1058	1097	1197	1236
6'6"	2286 x 1981	869	908	1058	1097	1058	1097	1058	1097	1197	1236
7'0"	2286 x 2134	890	929	1091	1130	1091	1130	1091	1130	1225	1264
7'6"	2286 x 2286										
8'0"	2286 x 2438										
7'8" x 6'4"	2337 x 1930	903	942	1106	1145	1106	1145	1106	1145	1197	1236
8'0" x 6'4"	2438 x 1930	917	956	1118	1157	1118	1157	1118	1157	1266	1305
6'6"	2438 x 1981	917	956	1118	1157	1118	1157	1118	1157	1266	1305
7'0"	2438 x 2134	938	977	1147	1186	1147	1186	1147	1186	1304	1343
8'0"	2438 x 2438										
8'6" x 6'6"	2590 x 1981										
7'0"	2590 x 2134										
9'0" x 6'6"	2743 x 1981		1122		1301		1301		1301		1389
7'0"	2743 x 2134		1122		1301		1301		1301		1389
10'0" x 6'6"	3048 x 1981		1127		1390		1390		1390		1453
7'0"	3048 x 2134		1127		1390		1390		1390		1453
DOUBLE DOORS Internal Frame Sizes BR		2005 Measham		2007 Jacobean		2008 Tudor		2014 Rutland		2009 Vertical or Horizontal	
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.
11'0" x 6'6"	3353 x 1981		1987		2192		2192		2192		2341
7'0"	3353 x 2134		1987		2192		2192		2192		2341
12'0" x 6'6"	3658 x 1981		2063		2203		2203		2203		2588
7'0"	3658 x 2134		2063		2203		2203		2203		2588
13'0" x 6'6"	3962 x 1981		2070		2377		2377		2377		2895
7'0"	3962 x 2134		2070		2377		2377		2377		2895
14'0" x 6'6"	4267 x 1981		2074		2339		2339		2339		2425
7'0"	4267 x 2134		2074		2339		2339		2339		2425
Please note: Lead times on all timber garage doors will be 3 to 4 weeks											
MATCHING SIDE DOORS Ordering sizes		2005 Measham		2007 Jacobean		2008 Tudor		2014 Rutland		2009 Vertical or Horizontal	
Please note: Lead times on all timber side garage doors will be 4 to 8 weeks											
875 x 1875		567		656		656		656		664	
875 x 2000		596		684		684		684		693	
875 x 2125		596		684		684		684		693	
1000 x 2000		596		684		684		684		693	
1000 x 2125		596		684		684		684		693	



2109 Mallory Horizontal or Vertical		2013 Caxton		2020 Gatcombe		2114 Shepshed		2019 Garage Light		75mm Steel Framed Doors Recommended structural opening sizes allowing tolerance of 10mm on width & 5mm on height For Steel Frame options see page 7	
CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	Imperial	Metric
1152	1191	1339	1378	1339	1378	1339	1378	1382	1421	7'0" x 6'8 1/2"	2135 x 2044
1152	1191	1339	1378	1339	1378	1339	1378	1382	1421	7'0" x 7'2 3/4"	2135 x 2199
1152	1191	1339	1378	1339	1378	1339	1378	1382	1421	7'4" x 6'6 1/2"	2235 x 1994
										7'4" x 6'8 1/2"	2235 x 2044
										7'4" x 7'2 3/4"	2235 x 2199
1152	1191	1339	1378	1339	1378	1339	1378	1382	1421	7'6" x 6'6 1/2"	2284 x 1994
1152	1191	1339	1378	1339	1378	1339	1378	1382	1421	7'6" x 6'8 1/2"	2284 x 2044
1152	1191	1339	1378	1339	1378	1339	1378	1382	1421	7'6" x 7'2 3/4"	2284 x 2199
										7'6" x 7'8 1/2"	2284 x 2350
1197	1236	1381	1420	1381	1420	1381	1420	1444	1483	7'9 1/4" x 6'6 1/2"	2365 x 1994
										7'9 1/4" x 6'8 1/2"	2365 x 2044
										7'9 1/4" x 7'2 3/4"	2365 x 2199
1197	1236	1381	1420	1381	1420	1381	1420	1444	1483	7'11" x 6'8 1/2"	2411 x 2044
1242	1281	1403	1442	1403	1442	1403	1442	1481	1520	7'11" x 7'2 3/4"	2411 x 2199
1197	1236	1381	1420	1381	1420	1381	1420	1444	1483	8'0" x 6'6 1/2"	2436 x 1994
1197	1236	1381	1420	1381	1420	1381	1420	1444	1483	8'0" x 6'8 1/2"	2436 x 2044
1242	1281	1403	1442	1403	1442	1403	1442	1511	1550	8'0" x 7'2 3/4"	2436 x 2199
										8'0" x 7'8 1/2"	2436 x 2350
										8'0" x 8'2 3/4"	2436 x 2503
1317	1356	1515	1554	1515	1554	1515	1554	1620	1659	8'2" x 6'6 1/2"	2489 x 1994
1317	1356	1515	1554	1515	1554	1515	1554	1620	1659	8'6" x 6'6 1/2"	2589 x 1994
1317	1356	1515	1554	1515	1554	1515	1554	1620	1659	8'6" x 6'8 1/2"	2589 x 2044
1317	1356	1515	1554	1515	1554	1515	1554	1620	1659	8'6" x 7'2 3/4"	2589 x 2199
										8'6" x 8'2 3/4"	2589 x 2503
										9'0" x 6'8 1/2"	2741 x 2044
										9'0" x 7'2 3/4"	2741 x 2199
	1527		1742		1742		1742		1789	9'6" x 6'8 1/2"	2894 x 2044
	1527		1742		1742		1742		1789	9'6" x 7'2 3/4"	2894 x 2199
	1664		1854		1854		1854		1989	10'6" x 6'8 1/2"	3199 x 2044
	1664		1854		1854		1854		1989	10'6" x 7'2 3/4"	3199 x 2199
2109 Mallory	2013 Caxton	2020 Gatcombe	2114 Shepshed	2019 Garage Light	Imperial	Metric					
CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.					
	2464		2602		2602		2602		2897	11'6" x 6'8 1/2"	3504 x 2044
	2464		2602		2602		2602		2897	11'6" x 7'2 3/4"	3504 x 2199
	2672		2828		2828		2828		3185	12'6" x 6'8 1/2"	3809 x 2044
	2672		2828		2828		2828		3185	12'6" x 7'2 3/4"	3809 x 2199
	2900		3091		3091		3091		3587	13'6" x 6'8 1/2"	4114 x 2044
	2900		3091		3091		3091		3587	13'6" x 7'2 3/4"	4114 x 2199
	2816		3007		3007		3007		3400	14'6" x 6'8 1/2"	4419 x 2044
	2816		3007		3007		3007		3400	14'6" x 7'2 3/4"	4419 x 2199
2109 Mallory	2013 Caxton	2020 Gatcombe	2114 Shepshed	2019 Garage Light							
749	775	791	771	882							
779	805	823	800	911							





All prices are in £ and are exclusive of VAT

9

Hörmann Up-and-Over Doors

Canopy & Retractable with Timber infill



SINGLE DOORS										75mm Steel Framed Doors Recommended structural opening sizes allowing tolerance of 10mm on width & 5mm on height For Steel Frame options see page 7	
Door sizes BR		2119 Leicester		2010 Chevron		2121 Chesterfield		2122 Middleton		Imperial	Metric
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.		
6'6" x 6'6"	1981 x 1981		1605	1429	1468		1835		1820	7'0" x 6'8 ¹ / ₂ "	2135 x 2044
7'0"	1981 x 2134		1605	1429	1468		1835		1820	7'0" x 7'2 ³ / ₄ "	2135 x 2199
6'10" x 6'4"	2083 x 1930		1605	1429	1468		1835		1820	7'4" x 6'6 ¹ / ₂ "	2235 x 1994
6'6"	2083 x 1981									7'4" x 6'8 ¹ / ₂ "	2235 x 2044
7'0"	2083 x 2134									7'4" x 7'2 ³ / ₄ "	2235 x 2199
7'0" x 6'4"	2134 x 1930		1618	1429	1468		1835		1820	7'6" x 6'6 ¹ / ₂ "	2284 x 1994
6'6"	2134 x 1981		1618	1429	1468		1835		1820	7'6" x 6'8¹/₂"	2284 x 2044
7'0"	2134 x 2134		1618	1429	1468		1848		1841	7'6" x 7'2³/₄"	2284 x 2199
7'6"	2134 x 2286									7'6" x 7'8 ¹ / ₂ "	2284 x 2350
7'3" x 6'4"	2210 x 1930		1765	1493	1532		1970		1964	7'9 ¹ / ₄ " x 6'6 ¹ / ₂ "	2365 x 1994
6'6"	2210 x 1981									7'9 ¹ / ₄ " x 6'8 ¹ / ₂ "	2365 x 2044
7'0"	2210 x 2134									7'9 ¹ / ₄ " x 7'2 ³ / ₄ "	2365 x 2199
7'5" x 6'6"	2261 x 1981		1772	1493	1532		1973		1964	7'11" x 6'8 ¹ / ₂ "	2411 x 2044
7'0"	2261 x 2134		1841	1534	1573		1983		1973	7'11" x 7'2 ³ / ₄ "	2411 x 2199
7'6" x 6'4"	2286 x 1930		1771	1493	1532		1973		1964	8'0" x 6'6 ¹ / ₂ "	2436 x 1994
6'6"	2286 x 1981		1771	1493	1532		1973		1964	8'0" x 6'8 ¹ / ₂ "	2436 x 2044
7'0"	2286 x 2134		1841	1534	1573		1993		1983	8'0" x 7'2 ³ / ₄ "	2436 x 2199
7'6"	2286 x 2286									8'0" x 7'8 ¹ / ₂ "	2436 x 2350
8'0"	2286 x 2438									8'0" x 8'2 ³ / ₄ "	2436 x 2503
7'8" x 6'4"	2337 x 1930		1889	1633	1672					8'2" x 6'6 ¹ / ₂ "	2489 x 1994
8'0" x 6'4"	2438 x 1930		1895	1633	1672					8'6" x 6'6 ¹ / ₂ "	2589 x 1994
6'6"	2438 x 1981		1895	1633	1672					8'6" x 6'8 ¹ / ₂ "	2589 x 2044
7'0"	2438 x 2134		1937	1657	1696					8'6" x 7'2 ³ / ₄ "	2589 x 2199
8'0"	2438 x 2438									8'6" x 8'2 ³ / ₄ "	2589 x 2503
8'6" x 6'6"	2590 x 1981									9'0" x 6'8 ¹ / ₂ "	2741 x 2044
7'0"	2590 x 2134									9'0" x 7'2 ³ / ₄ "	2741 x 2199
9'0" x 6'6"	2743 x 1981		1986		1807					9'6" x 6'8 ¹ / ₂ "	2894 x 2044
7'0"	2743 x 2134		1986		1807					9'6" x 7'2 ³ / ₄ "	2894 x 2199
10'0" x 6'6"	3048 x 1981		2238		2103					10'6" x 6'8 ¹ / ₂ "	3199 x 2044
7'0"	3048 x 2134		2238		2103					10'6" x 7'2 ³ / ₄ "	3199 x 2199

DOUBLE DOORS Internal Frame Sizes BR		2119 Leicester		2010 Chevron		Style Not Available		Style Not Available		Imperial	Metric
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.		
11'0" x 6'6"	3353 x 1981		3120		2985					11'6" x 6'8 ¹ / ₂ "	3504 x 2044
7'0"	3353 x 2134		3120		2985					11'6" x 7'2 ³ / ₄ "	3504 x 2199
12'0" x 6'6"	3658 x 1981		3336		3041					12'6" x 6'8 ¹ / ₂ "	3809 x 2044
7'0"	3658 x 2134		3336		3041					12'6" x 7'2 ³ / ₄ "	3809 x 2199
13'0" x 6'6"	3962 x 1981		3651		3091					13'6" x 6'8 ¹ / ₂ "	4114 x 2044
7'0"	3962 x 2134		3651		3091					13'6" x 7'2 ³ / ₄ "	4114 x 2199
14'0" x 6'6"	4267 x 1981		3562		3007					14'6" x 6'8 ¹ / ₂ "	4419 x 2044
7'0"	4267 x 2134		3562		3007					14'6" x 7'2 ³ / ₄ "	4419 x 2199

Please note: Lead times on all timber garage doors will be 3 to 4 weeks

MATCHING SIDE DOORS Ordering sizes	2119 Leicester	2010 Chevron	2121 Chesterfield	2122 Middleton
875 x 1875				
875 x 2000	567	656	656	677
875 x 2125				
1000 x 2000	596	684	684	693
1000 x 2125				



Our Timber Garage Doors are constructed as an infill to fit into the Open-for-Infill Up-and-Over door frame, this gives the doors their rigid and durable construction.

The styles Measham, Jacobean, Tudor and Rutland are Cedar facings glued and fixed to exterior quality plywood.

The solid Cedar doors are 12mm tongue and groove boards constructed as an infill.

Cedar is organically grown with natural colour and grain variations; this is a feature of Cedar.

We make every effort to harmonise the effect where possible, by hand matching the component parts used in construction.

Please note a uniform overall grain pattern cannot be guaranteed.

Protection (Basecoat)

All our timber doors are supplied with a dip immersion coat of Sikkens WP560 Colour ref 006 Light Oak; this coating is for temporary protection only.

If purchased in this temporary finish, please ensure that a full specification of finishing coats are applied immediately before or after installation to all exposed surfaces - inside as well as outside - with a Sikkens or similar finishing coat system.

A fully finished option is available, please see options below.






For further choice of exciting door designs, traditional or contemporary in Nordic Pine and Hemlock, with a vast range of sizes, ask your garage door specialist about the N80 Up-and-Over garage doors available to special order.






Optional extras for Timber Doors	Price
75mm Steel fixing frame for either canopy or retractable geared single doors, factory fitted. Dark Brown RAL 8028 as standard.	95
75mm Steel fixing frame for DOUBLE retractable geared doors. Dark Brown RAL 8028 as standard. Only available with door at point of order.	150
60mm Steel fixing frame for canopy geared doors only, factory fitted. Factory fitted Dark Brown RAL 8028 as standard.	98
Retractable plus gear for retractable doors up to 7'6" wide giving extra drive through width. Surcharge on retractable price.	32
4 point locking kit for extra security, factory fit with door order or retrofit.	42
Window options for 2019 Garage Light Door - Crystal or clear Glazing and can be plain or with square or diamond simulated leading.	Incl.
Fully Finished Option This is available as a factory process giving a 5 year erosion protection. The product used is Sikkens and is available in the following stain colours: Mahogany, Walnut, Dark Oak, Medium Oak, Light Oak, Teak, Ebony, Rosewood and Golden Oak. For South facing situations exposed to strong sunlight, the dark colours are NOT recommended as they can store excessive heat and dry out.	
Door sizes up to 8'0" x 7'0"	100
Door sizes up to 14'0" x 7'0"	198
Side Doors	75
Optional Handle Sets Cast Aluminium Silver Colour and Brass Colour.	71
Cast Aluminium Bronze Colour.	86
Brushed or Polished Stainless Steel.	106
Matching Lever Handles are also available for side doors.	P.O.A.

Hörmann Up-and-Over Doors

Canopy & Retractable with GRP infill




SINGLE DOORS											
Door sizes BR		2042 Windermere		2041 Coniston		2044 Stamford		2034 Penshurst		2035 Hartfield	
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.
7'0" x 6'6"	2134 x 1981	1357	1396	1328	1367	1394	1433	1440	1479	1440	1479
7'0"	2134 x 2134	1357	1396	1328	1367	1394	1433	1440	1479	1440	1479
7'6" x 6'6"	2286 x 1981	1440	1479	1402	1441	1469	1508	1566	1605	1566	1605
7'0"	2286 x 2134	1440	1479	1402	1441	1469	1508	1566	1605	1566	1605
8'0" x 6'6"	2438 x 1981	1548	1587	1530	1569	1590	1629	1667	1706	1667	1706
7'0"	2438 x 2134	1548	1587	1530	1569	1590	1629	1667	1706	1667	1706
9'0" x 6'6"	2743 x 1981		1748*		1709*		1764*		1800		
7'0"	2743 x 2134		1748*		1709*		1764*		1800		

SINGLE DOORS & DOUBLE DOORS											
Door sizes BR		2040 Livingston		2047 Bourton		2048 Burford		2049 Moreton		2050 Woodstock	
Imperial	Metric	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.	CAN.	RET.
7'0" x 6'6"	2134 x 1981	1592	1631	1440	1479	1440	1479	1592	1631	1592	1631
7'0"	2134 x 2134	1592	1631	1440	1479	1440	1479	1592	1631	1592	1631
7'6" x 6'6"	2286 x 1981	1719	1758	1566	1605	1566	1605	1719	1758	1719	1758
7'0"	2286 x 2134	1719	1758	1566	1605	1566	1605	1719	1758	1719	1758
8'0" x 6'6"	2438 x 1981			1667	1706	1667	1706	1819	1858		
7'0"	2438 x 2134			1667	1706	1667	1706	1819	1858		
14'0" x 6'6"	2743 x 1981				2648		2873		2886		3313
7'0"	2743 x 2134				2648		2873		2886		3313

Coniston and Stamford are supplied in White RAL 9016 OFI, all other styles are supplied in Brown RAL 8028 OFI.

Canopy & Retractable with PVC infill

SINGLE DOORS			
Door sizes BR		2060 Dorchester	
Imperial	Metric	CAN.	RET.
7'0" x 6'6"	2134 x 1981	696	735
7'0"	2134 x 2134	696	735
7'5" x 6'6"	2261 x 1981	752	791
7'0"	2261 x 2134	752	791
7'6" x 6'6"	2286 x 1981	758	797
7'0"	2286 x 2134	758	797
8'0" x 6'6"	2438 x 1981	819	858
7'0"	2438 x 2134	819	858

75mm Steel Framed Doors

Door sizes BR		Recommended structural opening sizes allowing tolerance of 10mm on width & 5mm on height	
Imperial	Metric	Imperial	Metric
7'0" x 6'6"	2134 x 1981	7'6" x 6'8 ¹ / ₂ "	2284 x 2044
7'0" x 7'0"	2134 x 2134	7'6" x 7'2 ³ / ₄ "	2284 x 2199
7'6" x 6'6"	2286 x 1981	8'0" x 6'8 ¹ / ₂ "	2436 x 2044
7'6" x 7'0"	2286 x 2134	8'0" x 7'2 ³ / ₄ "	2436 x 2199
8'0" x 6'6"	2438 x 1981	8'6" x 6'8 ¹ / ₂ "	2589 x 2044
8'0" x 7'0"	2438 x 2134	8'6" x 7'2 ³ / ₄ "	2589 x 2199
9'0" x 6'6"	2894 x 1981	9'6" x 6'8 ¹ / ₂ "	2894 x 2044
9'0" x 7'0"	2743 x 2134	9'6" x 7'2 ³ / ₄ "	2894 x 2199

For GRP colour options please consult main brochure

Window Options

Price

Windows are available in the Windermere, Coniston (clear or translucent) and Stamford (translucent only).

Per Door 88

(Stamford comes with black windows as standard, translucent is optional at above charge).

* Doors only available without handle (automation required).

Sectional Doors



Optional Extras and Window Designs





Colour Surcharge														Price	
Special RAL Colours (please ask to see colour chart)														per m ²	43
Fittings															
Profile half cylinder 30.5 + 10mm, for garage door handle sets														each	23
Handle Sets															
Handle Set, Black plastic, prepared for profile cylinder														each	43
Handle Set, Cast Aluminium Silver colour (F2), Brass Colour (F3), prepared for profile cylinder														each	112
Handle Set, Cast Aluminium RAL 9016, 'Bronze', Brushed Stainless Steel, prepared for profile cylinder														each	130
Handle Set, Polished Stainless Steel, prepared for profile cylinder														each	150
Emergency Release															
Emergency release for sectional doors with or without handle set (Please state at point of order)														each	35
Special anchor set															
Set of 8 special anchors for frame side fixing														per set	38
Frame Cover Profiles Matching the Colour of the Door - 55mm x 19.5mm and 90mm x 19.5mm: Prices are per pair															
Door Heights	White				Colour				Special RAL/CH 703				Decograin		
	Woodgrain		Silkgrain		Woodgrain		Silkgrain		Woodgrain		Silkgrain		Decograin		
	55mm	90mm	55mm	90mm	55mm	90mm	55mm	90mm	55mm	90mm	55mm	90mm	55mm	90mm	
2000mm	31	47	37	52	46	72	52	76	69	97	73	103	51	74	
2125mm	35	51	40	58	50	76	54	84	73	106	77	111	56	82	
2250mm	36	52	41	59	52	81	59	87	75	110	81	114	58	84	
2375mm	37	57	42	62	54	85	61	90	80	114	86	120	61	88	
2500mm	39	59	44	64	58	89	63	95	83	120	90	123	63	93	
White 9016, Brown 8028 and Decograin colours are available ex-stock. Please note Silkgrain White and Colours must be ordered with the door.															
Renovation fascias															
Set: Renovation fascias to cover damaged brickwork edges consisting of: 3 angle sections, 69/40mm, each 3000mm long															
Price	122	132	147	157	171	185	136								
Set: Fascia frame -95- consisting of: 2 fascias, 95mm, 2800mm long, 1 fascia 95mm, 3200mm long, fixing material															
Price	138	149	167	178	193	209	154								
Window designs for sectional doors															
LTE 40 with 3mm single pane in clear (FK) or crystal structure (KR), 3mm EPU 40 or LPU 40 with 16mm double pane in clear (DS) or crystal structure (DK)															
										EPU 40		LPU 40		LTE 40	
S0										75	75	63			
S1										82	82	68			
S2										82	82	68			
S10										341	341	317			
S20										427	427	396			
S30										512	512				
S40										597	597				
S50										683	683				
S60										683	683				
M0											81	74			
M1											93	87			
M2											93	87			
M10											299	256			
M20											399	341			
M30											499	427			
M40											598	512			
M50											598	512			
Standard Colour Surcharges for the above windows. Please note: front window frame only is painted														Price	
Standard Colour or colour for Decograin				For glazing SO, S1 and S2 / MO, M1 and M2										each	20
				For Sunrise glazing x No. of frames for width of door										each	26
RAL to choose				For glazing SO, S1 and S2 / MO, M1 and M2										each	37
				For Sunrise glazing x No. of frames for width of door										each	47

Hörmann 2000 Sectional Doors



LTE 40 - single-skinned doors with steel sections

Single doors with Z track tension springs giving low headroom as standard



SINGLE DOORS													
Door sizes		S Ribbed Woodgrain		M Ribbed Woodgrain		S Panelled Woodgrain		No. of panels	M Panelled Woodgrain		No. of panels		
Imperial	BR	Metric	Outside White	Outside Colour	Outside White	Outside Colour	Outside White		Outside Colour	Outside White		Outside Colour	
6'10" x 6'2"		2083 x 1875	576	668	576	668	659	751	4	659	751	2	
	6'10"		2083 x 2080	576	678	576	678	659	761	4	659	761	2
7'0" x 6'6"		2134 x 2000	590	691	590	691	662	763	4	662	763	2	
	7'0"		2134 x 2125	590	697	590	697	662	769	4	662	769	2
7'6" x 6'6"		2286 x 2000	634	742	634	742	705	813	4	705	813	3	
	7'0"		2286 x 2125	634	748	634	748	705	819	4	705	819	3
	7'4"		2286 x 2250	668	789	668	789	735	856	4	735	856	3
	7'9"		2286 x 2375	718	846	718	846	851	979	4	851	979	3
	8'2"		2286 x 2500	718	853	718	853	851	986	4	851	986	3
8'0" x 6'6"		2438 x 2000	662	777	662	777	739	854	4	739	854	3	
	7'0"		2438 x 2125	662	784	662	784	739	861	4	739	861	3
	7'4"		2438 x 2250	699	829	699	829	763	893	4	763	893	3
	7'9"		2438 x 2375	747	884	747	884	887	1024	4	887	1024	3
	8'2"		2438 x 2500	747	891	747	891	887	1031	4	887	1031	3
8'6" x 6'6"		2591 x 2000	684	806	684	806	769	891	4	769	891	3	
	7'0"		2591 x 2125	684	814	684	814	769	899	4	769	899	3
9'0" x 6'6"		2743 x 2000	739	868	739	868	868	997	4	868	997	3	
	7'0"		2743 x 2125	739	876	739	876	868	1005	4	868	1005	3
9'6" x 6'6"		2896 x 2000	755	892	755	892	877	1014	5	877	1014	3	
	7'0"		2896 x 2125	755	900	755	900	877	1022	5	877	1022	3
10'0" x 6'6"		3048 x 2000	798	942	798	942	947	1091	5	947	1091	4	
	7'0"		3048 x 2125	798	951	798	951	947	1100	5	947	1100	4

Double doors with N track torsion springs (for low headroom see bottom of page 17)



DOUBLE DOORS								
Door sizes		S Ribbed Woodgrain		No. of panels	M Panelled Woodgrain			
Imperial	BR	Metric	Outside White		Outside Colour	Outside White	Outside Colour	
11'0" x 6'6"		3353 x 2000	1053	1211		1274	1432	4
	7'0"		3353 x 2125	1053	1221		1274	1442
12'0" x 6'6"		3658 x 2000	1167	1340		1436	1609	4
	7'0"		3658 x 2125	1167	1350		1436	1619
13'0" x 6'6"		3962 x 2000	1191	1378		1469	1656	5
	7'0"		3962 x 2125	1191	1389		1469	1667
14'0" x 6'6"		4267 x 2000	1304	1505		1583	1784	5
	7'0"		4267 x 2125	1304	1518		1583	1797
14'6" x 6'6"		4420 x 2000	1335	1543		1626	1834	5
	7'0"		4420 x 2125	1335	1556		1626	1847
15'0" x 6'6"		4572 x 2000	1339	1554		1638	1853	6
	7'0"		4572 x 2125	1339	1568		1638	1867
15'6" x 6'6"		4724 x 2000	1379	1602		1691	1914	6
	7'0"		4724 x 2125	1379	1615		1691	1927
16'0" x 6'6"		4877 x 2000	1436	1666		1698	1928	6
	7'0"		4877 x 2125	1436	1680		1698	1942

Hörmann Series 2000 Sectional Doors



EPU 40 - double-skinned doors with steel sections - 42-20mm

Single doors with Z track tension springs giving low headroom as standard



SINGLE DOORS			 M Ribbed Woodgrain		 S Panelled Woodgrain		
Door sizes			Outside White	Outside Colour	Outside White	Outside Colour	No. of panels
Imperial	BR	Metric					
6'10" x 6'2"		2083 x 1875	720	812	868	960	4
	6'6"	2083 x 2000	720	818	868	966	4
	6'10"	2083 x 2080	720	822	868	970	4
7'0" x 6'6"		2134 x 2000	720	821	868	969	4
	7'0"	2134 x 2125	720	827	868	975	4
7'6" x 6'6"		2286 x 2000	739	847	1011	1119	4
	7'0"	2286 x 2125	739	853	1011	1125	4
	7'4"	2286 x 2250	860	981	1026	1147	4
	7'9"	2286 x 2375	860	988	1026	1154	4
	8'2"	2286 x 2500	860	995	1026	1161	4
8'0" x 6'6"		2438 x 2000	766	881	1011	1126	4
	7'0"	2438 x 2125	766	888	1011	1133	4
	7'4"	2438 x 2250	900	1030	1074	1204	4
	7'9"	2438 x 2375	900	1037	1074	1211	4
	8'2"	2438 x 2500	900	1044	1074	1218	4
8'6" x 6'6"		2591 x 2000	779	901	1070	1192	4
	7'0"	2591 x 2125	779	909	1070	1200	4
9'0" x 6'6"		2743 x 2000	829	958	1112	1241	4
	7'0"	2743 x 2125	829	966	1112	1249	4
9'6" x 6'6"		2896 x 2000	868	1005	1154	1291	5
	7'0"	2896 x 2125	868	1013	1154	1308	5
10'0" x 6'6"		3048 x 2000	880	1024	1437	1581	5
	7'0"	3048 x 2125	880	1033	1437	1590	5

Double doors with N track torsion springs (for low headroom see bottom of page 17)

DOUBLE DOORS			 M Ribbed Woodgrain		 S Panelled Woodgrain		
Door sizes			Outside White	Outside Colour	Outside White	Outside Colour	No. of panels
Imperial	BR	Metric					
11'0" x 6'6"		3353 x 2000	1193	1351	1537	1695	5
	7'0"	3353 x 2125	1193	1361	1537	1705	5
12'0" x 6'6"		3658 x 2000	1230	1403	1586	1759	6
	7'0"	3658 x 2125	1230	1413	1586	1769	6
13'0" x 6'6"		3962 x 2000	1256	1443	1638	1825	6
	7'0"	3962 x 2125	1256	1454	1638	1836	6
14'0" x 6'6"		4267 x 2000	1347	1548	1430	1631	7
	7'0"	4267 x 2125	1347	1561	1430	1644	7
14'6" x 6'6"		4420 x 2000	1347	1555	1670	1878	7
	7'0"	4420 x 2125	1347	1568	1670	1891	7
15'0" x 6'6"		4572 x 2000	1391	1606	1697	1912	7
	7'0"	4572 x 2125	1391	1620	1697	1926	7
15'6" x 6'6"		4724 x 2000	1472	1695	1720	1943	7
	7'0"	4724 x 2125	1472	1708	1720	1956	7
16'0" x 6'6"		4877 x 2000	1476	1706	1749	1979	7
	7'0"	4877 x 2125	1476	1720	1749	1993	7

All prices are in £ and are exclusive of VAT





15

Hörmann Series 2000 Sectional Doors

LPU 40 - double-skinned doors with steel sections - 42mm





Single doors with Z track tension springs giving low headroom as standard



SINGLE DOORS										
Door sizes			S Ribbed Woodgrain		M Ribbed Woodgrain		M Ribbed Silkgrain		L Ribbed Silkgrain/Micrograin	
Imperial	BR	Metric	Outside White	Outside Colour	Outside White	Outside Colour	Outside White	Outside Colour	Outside White	Outside Colour
6'10" x 6'2"		2083 x 1875	907	999	907	999	917	1009	971	1063
	6'6"	2083 x 2000	907	1005	907	1005	917	1015	971	1069
	6'10"	2083 x 2080	907	1009	907	1009	917	1019	971	1073
7'0" x 6'6"		2134 x 2000	907	1008	907	1008	917	1018	971	1072
	7'0"	2134 x 2125	907	1014	907	1014	917	1024	971	1078
7'6" x 6'6"		2286 x 2000	909	1017	909	1017	920	1028	973	1081
	7'0"	2286 x 2125	909	1023	909	1023	920	1034	973	1087
	7'4"	2286 x 2250	947	1068	947	1068	957	1078	1011	1132
	7'9"	2286 x 2375	987	1115	987	1115	997	1125	1052	1180
	8'2"	2286 x 2500	1028	1163	1028	1163	1038	1173	1093	1128
8'0" x 6'6"		2438 x 2000	965	1080	965	1080	975	1090	1030	1145
	7'0"	2438 x 2125	965	1087	965	1087	975	1097	1030	1152
	7'4"	2438 x 2250	990	1120	990	1120	1000	1130	1055	1185
	7'9"	2438 x 2375	1035	1172	1035	1172	1045	1182	1100	1237
	8'2"	2438 x 2500	1081	1225	1081	1225	1093	1237	1146	1290
8'6" x 6'6"		2591 x 2000	967	1089	967	1089	977	1099	1032	1154
	7'0"	2591 x 2125	967	1097	967	1097	977	1107	1032	1162
9'0" x 6'6"		2743 x 2000	1057	1186	1057	1186	1067	1196	1125	1254
	7'0"	2743 x 2125	1057	1194	1057	1194	1067	1204	1125	1262
9'6" x 6'6"		2896 x 2000	1117	1254	1117	1254	1128	1265	1186	1323
	7'0"	2896 x 2125	1117	1262	1117	1262	1128	1273	1186	1331
10'0" x 6'6"		3048 x 2000	1117	1261	1117	1261	1128	1272	1186	1330
	7'0"	3048 x 2125	1117	1270	1117	1270	1128	1281	1186	1339

For information on outside colour, see page 17

Double doors with N track torsion springs (for low headroom see bottom of page 17)

DOUBLE DOORS										
Door sizes			S Ribbed Woodgrain		M Ribbed Woodgrain		M Ribbed Silkgrain		L Ribbed Silkgrain/Micrograin	
Imperial	BR	Metric	Outside White	Outside Colour	Outside White	Outside Colour	Outside White	Outside Colour	Outside White	Outside Colour
11'0" x 6'6"		3353 x 2000	1336	1494	1336	1494	1347	1505	1413	1571
	7'0"	3353 x 2125	1336	1504	1336	1504	1347	1515	1413	1581
12'0" x 6'6"		3658 x 2000	1512	1685	1512	1685	1523	1696	1592	1765
	7'0"	3658 x 2125	1512	1695	1512	1695	1523	1706	1592	1775
13'0" x 6'6"		3962 x 2000	1555	1742	1555	1742	1567	1754	1642	1829
	7'0"	3962 x 2125	1555	1753	1555	1753	1567	1765	1642	1840
14'0" x 6'6"		4267 x 2000	1361	1562	1361	1562	1618	1819	1698	1899
	7'0"	4267 x 2125	1361	1575	1361	1575	1618	1832	1698	1912
14'6" x 6'6"		4420 x 2000	1484	1692	1484	1692	1660	1868	1739	1947
	7'0"	4420 x 2125	1484	1705	1484	1705	1660	1881	1739	1960
15'0" x 6'6"		4572 x 2000	1597	1812	1597	1812	1675	1890	1763	1978
	7'0"	4572 x 2125	1597	1826	1597	1826	1675	1904	1763	1992
15'6" x 6'6"		4724 x 2000	1625	1848	1625	1848	1705	1928	1791	2014
	7'0"	4724 x 2125	1625	1861	1625	1861	1705	1941	1791	2027
16'0" x 6'6"		4877 x 2000	1653	1883	1653	1883	1733	1963	1825	2055
	7'0"	4877 x 2125	1653	1897	1653	1897	1733	1977	1825	2069

Hörmann Series 2000 Sectional Doors

LPU 40 - double-skinned doors with steel sections - 42mm

Single doors with Z track tension springs giving low headroom as standard



SINGLE DOORS		L Ribbed Decograin Titan Metallic	M Ribbed Decograin Rosewood, G/Oak, D/Oak Light Oak, Night Oak, Titan Metallic	S Panelled Decograin Rosewood, G/Oak, D/Oak Light Oak, Night Oak	No. of panels	M Panelled Woodgrain		
Imperial	Door sizes BR Metric					Outside White	Outside Colour	No. of panels
6'10" x 6'2"	2083 x 1875	1099	1057	1193	4	1044	1136	2
6'6"	2083 x 2000	1129	1057	1193	4	1044	1142	2
6'10"	2083 x 2080	1148	1057		4	1044	1146	2
7'0" x 6'6"	2134 x 2000	1129	1057	1175	4	1044	1145	2
7'0"	2134 x 2125	1148	1057	1175	4	1044	1151	2
7'6" x 6'6"	2286 x 2000	1129	1097	1353	4	1121	1229	3
7'0"	2286 x 2125	1148	1097	1353	4	1121	1235	3
7'4"	2286 x 2250	1200	1135	1390	4	1208	1329	3
7'9"	2286 x 2375	1206	1174	1430	4	1233	1361	3
8'2"	2286 x 2500	1243	1215	1471	4	1279	1414	3
8'0" x 6'6"	2438 x 2000	1212	1099	1371	4	1151	1266	3
7'0"	2438 x 2125	1233	1099	1371	4	1151	1273	3
7'4"	2438 x 2250	1304	1137	1409	4	1286	1416	3
7'9"	2438 x 2375	1338	1177	1448	4	1307	1444	3
8'2"	2438 x 2500	1376	1217	1489	4	1331	1475	3
8'6" x 6'6"	2591 x 2000	1212	1101	1449	4	1220	1342	3
7'0"	2591 x 2125	1233	1101	1449	4	1220	1350	3
9'0" x 6'6"	2743 x 2000	1309	1231	1496	4	1277	1406	3
7'0"	2743 x 2125	1330	1231	1496	4	1277	1414	3
9'6" x 6'6"	2896 x 2000	1395	1293	1618	5	1439	1576	3
7'0"	2896 x 2125	1420	1293	1618	5	1439	1584	3
10'0" x 6'6"	3048 x 2000	1395	1293	1618	5	1626	1770	4
7'0"	3048 x 2125	1420	1293	1618	5	1626	1779	4

For information on outside colour, see below

All coloured doors are special order only - 4 to 8 weeks delivery. Please note: the prices listed as outside colour for LPU and EPU doors are for the following RAL colours only: RAL 1015, 3003, 5003, 5011, 5014, 6005, 6009, 7016, 7030, 7035, 7040, 8001, 8003, 8028 and 9006. For colour chart, please ask your garage door specialist.

Double doors with N track torsion springs (for low headroom see bottom of page)

DOUBLE DOORS		L Ribbed Decograin Titan Metallic	M Ribbed Decograin Rosewood, G/Oak, D/Oak Light Oak, Night Oak, Titan Metallic	S Panelled Decograin Rosewood, G/Oak, D/Oak Light Oak, Night Oak	No. of panels	M Panelled Woodgrain		
Imperial	Door sizes BR Metric					Outside White	Outside Colour	No. of panels
11'0" x 6'6"	3353 x 2000	1617	1533	1932	5	1738	1896	4
7'0"	3353 x 2125	1648	1533	1932	5	1738	1906	4
12'0" x 6'6"	3658 x 2000	1875	1738	2170	6	1780	1953	4
7'0"	3658 x 2125	1913	1738	2170	6	1780	1963	4
13'0" x 6'6"	3962 x 2000	1965	1852	2264	6	1780	1967	5
7'0"	3962 x 2125	2007	1852	2264	6	1780	1978	5
14'0" x 6'6"	4267 x 2000	1904	1842	2015	7	1622	1823	5
7'0"	4267 x 2125	1944	1842	2015	7	1622	1836	5
14'6" x 6'6"	4420 x 2000	2140	1951	2355	7	1770	1978	5
7'0"	4420 x 2125	2183	1951	2355	7	1770	1991	5
15'0" x 6'6"	4572 x 2000	2194	2000	2450	7	1790	2005	6
7'0"	4572 x 2125	2236	2000	2450	7	1790	2019	6
15'6" x 6'6"	4724 x 2000	2194	2053	2450	7	1893	2116	6
7'0"	4724 x 2125	2295	2053	2450	7	1893	2129	6
16'0" x 6'6"	4877 x 2000	2305	2085	2450	7	1858	2088	6
7'0"	4877 x 2125	2354	2085	2450	7	1858	2102	6

Low headroom

Price

Special colours

Price

Double doors (Torsion spring at rear of track)

96

Other RAL colours

per m² Surcharge

46

All prices are in £ and are exclusive of VAT

17

Hörmann Roller Garage Door – RollMatic

Product Description

RollMatic roller garage door product description

General

Spring-compensated roller garage door with integrated door security kit for domestic applications. Only in conjunction with a Hörmann roller garage door operator.

Frame

- Aluminium extrusion profile side guides with integrated plastic runners. Coating in door curtain colour. Lintel cladding made of sheet steel in door curtain colour.
- Inside and side cladding made of sheet steel. Coating only in Grey white, based on RAL 9002.

Door Curtain

Rolled aluminium profile filled with 100% CFC-free polyurethane rigid foam, with integrated storm anchors, coverage width 75 mm. Coloured versions with two-layer coil coating with a paint system based on high-quality polyurethane refined with polyamide.

Surface coating

Inside and outside of door curtain:

- Standard colours based on the RAL colour chart:

Traffic White	RAL 9016
Ruby Red	RAL 3003
Signal Blue	RAL 5005
Steel Blue	RAL 5011
Moss Green	RAL 6005
Terra Brown	RAL 8028
Deep Black	RAL 9005
Anthracite Grey	RAL 7016
White Aluminium	RAL 9006
Light Grey	RAL 7035

Decograin version with synthetic foil coating in timber design on the outside

Outside:

- Coated with UV-resistant timber design synthetic foil with embossed timber structure for authentic timber character.
 - **Golden Oak** – medium brown, yellow and gold surface with vibrant oak character.
 - **Rosewood** – reddish-brown stripey timber design

Inside:

- Coating only in brown

Weight counterbalance

Tension spring technology with lateral integral double tension springs, equipped with dual cables. Cladding with transparent plastic.


Fittings and locks

Integrated door security kit via the operator.

Delivery

1 unit including operator

Window arrangement (optional equipment)



RollMatic operator product description

Operator data



- 24 V DC gear drive
- Mains voltage 230-240 V AC, 0.5 kW
- Opening speed approx. 11 cm/s
- Operator always on left when viewed from inside

Control electronics



- In separate housing
- Micro-processor control
- Automatic teach-in of the automatic safety cut-out and end-of-travel positions
- Soft start and soft stop
- Operator light
- Automatic timer adjustable, hold-open time 30 seconds after activation
- Impulse control

Standard equipment

- With a 4-button mini hand transmitter HSM4 and a 2-button micro hand transmitter HSE 2 and integral receiver in 868.3 MHz. Each hand transmitter factory-coded individually from over 1 trillion combinations
- Connecting lead with CEE plug
- Control buttons in cover of the control unit
- Integrated light in control housing with 2 minute illumination
- Quick release, operated from inside

Housing

- Plastic

Temperature range

- -20°C to +60°C

Note:

Installation of photocell is required if automatic timer is activated!

Hörmann Roller Garage Door – RollMatic

Size Range and Prices



Outside
White or Colour

Clear height (LH) = ordering size	3000	1901	1901	2032	2080	2138	2189								
	2875	1846	1853	1988	2036	2115	2170								
	2750	1791	1806	1945	1991	2080	2141								
	2625	1735	1735	1758	1901	1947	2045	2112							
	2500	1625	1625	1663	1814	1858	1907	1998	2156	2207	2500	2560	2749	2814	
	2375	1583	1583	1620	1713	1753	1865	1954	2115	2165	2372	2428	2642	2705	
	2250	1583	1583	1620	1713	1753	1865	1954	2115	2165	2372	2428	2642	2705	
	2125	1525	1525	1564	1698	1738	1840	1883	2086	2136	2343	2398	2610	2672	
	2000	1475	1475	1544	1672	1711	1813	1857	2060	2109	2310	2365	2571	2633	
	1900														
		1000	1900	2300	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000
		Clear width (LB) = ordering size													

Only available in the priced size range listed! (Min. production dimension 1000 x 1900 mm)



Outside
Decograin

Golden Oak or
Rosewood

Clear height (LH) = ordering size	3000	2301	2301	2500	2560	2685	2749								
	2875	2182	2232	2441	2499	2653	2716								
	2750	2115	2164	2382	2439	2604	2666								
	2625	2045	2045	2095	2323	2378	2556	2617							
	2500	1910	1910	1959	2205	2258	2363	2419	2675	2739	3098	3171	3426	3508	
	2375	1838	1838	1890	2072	2121	2284	2338	2594	2655	2922	2992	3263	3341	
	2250	1838	1838	1890	2072	2121	2284	2338	2594	2655	2922	2992	3263	3341	
	2125	1799	1799	1851	2033	2081	2241	2294	2534	2594	2857	2925	3192	3268	
	2000	1725	1725	1796	1968	2015	2159	2210	2456	2514	2765	2830	3085	3158	
	1900														
		1000	1900	2300	2500	2750	3000	3250	3500	3750	4000	4250	4500	4750	5000
		Clear width (LB) = ordering size													

Only available in the priced size range listed! (Min. production dimension 1000 x 1900 mm)

Optional extras

Glazing element with clear synthetic pane, window section 120 x 40 mm, black glazing frame on exterior, transparent on interior (maximum of 10 sections per door, number of glazing elements dependent on door width)	per m	14
---	-------	-----------

Accessories for RollMatic operator

	Part no.	Price
Motor connection line, 10 m	436 523	34
Acoustic door security kit	436 524	52
Emergency battery HNA 18	436 298	89
Exterior emergency release	436 526	90

Further accessories for RollMatic operator

See page 20

Garage Door Operators



Boom Length	 SupraMatic E	 SupraMatic P	 SupraMatic H	 ProMatic	 ProMatic P	 ProMatic Akku
K	443	474	For prices and specification see Price List 169	356	425	436
M	460	491		371	443	454
L	548	580		460	531	542

Accessories for Electric Garage Door Operators







Accessory	Part No.	Description	Price
 4-button mini hand transmitter	HSM 4	Impulse, incl. battery Battery: 12 V / type: 23 A Dimensions (W x H x D): 37 x 60 x 12mm	50
 Key ring		For hand transmitter HSM 4	1
 4-button hand transmitter	HSP 4	Impulse with electronic transmission lock, incl. key ring and battery Battery: Lithium round cell 3 V / Type: CR 2025 Dimensions (D x H): ø 45 x 13mm	50
 2-button micro hand transmitter	HSE 2	Impulse, incl. key ring and battery Battery: 6 V / type: 11 A Dimensions (W x H x D): 24 x 60 x 12mm	50
 2-button hand transmitter	HSD 2-A	Impulse with electronic transmission lock, Aluminium look as a key chain incl. battery Battery: Lithium round cell 3 V / Type: CR 2025 Dimensions (W x H x D): 32 x 66 x 13mm	67
 2-button hand transmitter	HSD 2-C	Impulse with electronic transmission lock, High-gloss chrome as a key chain incl. battery Battery: Lithium round cell 3 V / Type: CR 2025 Dimensions (W x H x D): 32 x 66 x 13mm	67
 1-button hand transmitter	HSZ 1	Impulse, for insertion in a car cigarette lighter incl. battery Battery: Lithium round cell 3 V / Type: CR 2025 Dimensions (D x H): ø 29 x 45mm	50
 2-button hand transmitter	HSZ 2	Impulse, for insertion in a car cigarette lighter incl. battery Battery: Lithium round cell 3 V / Type: CR 2025 Dimensions (D x H): ø 29 x 45mm	50
 4-button hand transmitter	HS 4	Impulse, incl. battery Battery: 12 V / type: 23 A Dimensions (W x H x D): 37 x 110 x 12mm	50
 1-button hand transmitter	HS 1	Impulse, incl. battery Battery: 12 V / type: 23 A Dimensions (W x H x D): 37 x 110 x 12mm	38
 4-button security hand transmitter	HSS 4	Impulse, incl. battery Additional functions: security coding Battery: 12 V / type: 23 A Dimensions (W x H x D): 37 x 110 x 12mm	70
 Hand transmitter holder		For HS 1, HS 4, HSM 4 and HSS 4	2
 Hand transmitter holder		Incl. visor clip for HS 1, HS 4, HSM 4 and HSS 4	6
 Radio set 868.3 MHz*	HF 22	Set consists of: a 2-button hand transmitter HSZ 2 and a 2-channel receiver HET 2 Operating voltage: 230 - 240 V AC For Hörmann door operators and operators of other makes	127

*(range of radio signal depends on local conditions)

For more detailed specification of the above products please see Price List 169


Garage Door Operators




Accessory	Part No.	Description	Price
 Internal push button	IT 1	Impulse, 1 button with 7m connecting cable, 2-lead Suitable for garage door operators Series 1 and Series 2 .	11
 Internal push button	IT 1b	With illuminated impulse button and 7m connecting cable, 2-lead Suitable for garage door operators Series 2	17
 Internal push button Only suitable for SupraMatic operators Series 2	IT 3b	With illuminated impulse button, additional buttons for light on/off and operator on/off and 7m connecting cable, 2-lead	25
 Internal radio push button	FIT 2	With 2 impulse push buttons for control of 2 operators per radio signal, frequency 868.3MHz, one additional button for on/off function of connected command units. Connection of max. 2 command units possible	41
 Radio code switch	FCT 3b	Impulse, for control of up to 3 operators, transmission of up to 3 radio codes, 868.3MHz Power supply: 9V block battery (included), illuminated keypad and protective flap.	64
 Emergency accumulator	HNA 18	Only for Hörmann garage door operators Series 2 . Emergency power supply to bypass power failures up to 18 hours and max. 5 door cycles (depending on temperatures, state of charge etc.)	93

Hinged Gate Operators


RotaMatic

Accessory	Part No.	Description	Price
RotaMatic 1	45 10 700	For single leaf hinged gates. leaf width from 1000mm up to 2500mm, max. leaf weight 220kg.	 522
RotaMatic 2	45 10 750	For double leaf hinged gates. leaf width from 1000mm up to 2500mm, max. leaf weight 220kg.	689
RotaMatic 1 SK	45 10 701	As RotaMatic 1. Including one-way photocell and yellow warning light for floor fitting.	588
RotaMatic 2 SK	45 10 751	As RotaMatic 2. Including one-way photocell and yellow warning light for floor fitting.	755
RotaMatic Akku 1	45 11 100	For single leaf hinged gates leaf width from 1000mm up to 2500mm, max. leaf weight 120kg	889
RotaMatic Akku 2	45 11 120	For double leaf hinged gates leaf width from 1000mm up to 2500mm, max. leaf weight 120kg	1055

Hinged Gate Operator RotaMatic Accessories

Accessory	Part No.	Description	Price
Security kit	HSK 3	Lockable emergency release for the hinged gate operator RotaMatic Note: One security kit is required per door leaf!	 24

Sliding Gate Operator LineaMatic

Accessory	Part No.	Description	Price
LineaMatic	45 11 200	Sliding gates up to 6000mm wide, up to 2000mm high and max. leaf weight 300kg.	 362
LineaMatic SK	45 11 201	Similar to LineaMatic including one-way photocell and yellow warning lamp for ground fitting	416
LineaMatic P	45 11 250	Sliding gates up to 8000mm wide, up to 2000mm high and max. leaf weight 500kg.	437
LineaMatic P SK	45 11 251	Similar to LineaMatic P including one-way photocell and yellow warning lamp for ground fitting	501

For more detailed specification of the above products please see Price List 169

Hörmann ThermoPro Entrance Doors

Steel Classic Doors



	TPS 100 GB Steel entrance door, timber frame Multi-point locking system with lift lever operation RAL 9016 white	overall frame size	
		920 x 2095	556
		932 x 2095	556
		1001 x 2095	556
		Special sizes	805
	TPS 200 GB Steel entrance door, timber frame Multi-point locking system with lift lever operation Plastic glazing frame Safety glazing matt finish on the inside Plastic window rails RAL 9016 white	overall frame size	
		920 x 2095	635
		932 x 2095	635
		1001 x 2095	635
		Special sizes	885
	TPS 210 GB Steel entrance door, timber frame Multi-point locking system with lift lever operation Plastic glazing frame Safety glazing matt finish on the inside Brass effect window rails in the glazing RAL 9016 white	overall frame size	
		920 x 2095	665
		932 x 2095	665
		1001 x 2095	665
		Special sizes	855
	TPS 300 GB Steel entrance door, timber frame Multi-point locking system with lift lever operation Plastic glazing frame Safety glazing matt finish on the inside Plastic window rails RAL 9016 white	overall frame size	
		920 x 2095	720
		932 x 2095	720
		1001 x 2095	720
		Special sizes	970
	TPS 310 GB Steel entrance door, timber frame Multi-point locking system with lift lever operation Plastic glazing frame Safety glazing matt finish on the inside Brass effect window rails in the glazing RAL 9016 white	overall frame size	
		920 x 2095	750
		932 x 2095	750
		1001 x 2095	750
		Special sizes	999
	TPS 400 GB Steel entrance door, timber frame. Multi-point locking system with lift lever operation. Plastic glazing frame. Safety glazing matt finish on the inside. Plastic window rails. RAL 9016 white.	overall frame size	
		920 x 2095	810
		932 x 2095	810
		1001 x 2095	810
		Special sizes	1060
	TPS 410 GB Steel entrance door, timber frame Multi-point locking system with lift lever operation Plastic glazing frame Safety glazing matt finish on the inside Brass effect window rails in the glazing RAL 9016 white	overall frame size	
		920 x 2095	840
		932 x 2095	840
		1001 x 2095	840
		Special sizes	1090
Special size range for TPS GB 100 to 410 GB (overall frame size)		875 x 1990 mm	to 1100 x 2100 mm
All Classic Doors are prepared for installation of letter plates			
Accessories and optional extras			Price
Colours: 15 Standard colours available. See Optional extras on page 23			99
Aluminium Frame			140
Gold or Silver Alu sleeved letter plate			20
Gold or Silver Lever set tested to Pas 24 with drill resistant Cylinder Escutcheon			15
Gold or Silver outside Knob inside Lever			6
Gold or Silver outside Knob inside Lever tested to Pas 24 with drill resistant Cylinder Escutcheon			17
Brass or Chrome Spy viewer			2.80

Hörmann ThermoPro Entrance Doors

Steel Design Doors



	TPS 010 GB	overall frame size	
	Steel entrance door, aluminium frame	844 x 2095	714
	Multi-point locking system with key operation	920 x 2095	714
	RAL 9016 white	932 x 2095	714
		1001 x 2095	714
		Special sizes	960
Golden Oak and Titan Metallic Decograin finish			320
	TPS 020 GB	overall frame size	
	Steel entrance door, aluminium frame	844 x 2095	748
	Multi-point locking system with key operation	920 x 2095	748
	Safety glazing matt finish on both sides	932 x 2095	748
	Handle 14-2	1001 x 2095	748
	RAL 9016 white	Special sizes	988
Golden Oak Decograin finish			320
	TPS 030 GB	overall frame size	
	Steel entrance door, aluminium frame	844 x 2095	807
	Multi-point locking system with key operation	920 x 2095	807
	Safety glazing matt finish on both sides	932 x 2095	807
	Handle 14-2	1001 x 2095	807
	RAL 9016 white	Special sizes	1,047
Golden Oak Decograin finish			320
	TPS 700 GB	overall frame size	
	Steel entrance door, aluminium frame	920 x 2095	1,266
	Multi-point locking system with key operation	932 x 2095	1,266
	Stainless steel glazing frame	1001 x 2095	1,266
	Safety glazing matt finish on both sides	Special sizes	1,512
	Handle 38-2		
RAL 9016 white			
Golden Oak, Dark Oak and Titan Metallic Decograin finish			320
	TPS 800 GB	overall frame size	
	Steel entrance door, aluminium frame	920 x 2095	1,520
	Multi-point locking system with key operation	932 x 2095	1,520
	Stainless steel glazing frame	1001 x 2095	1,520
	Safety glazing matt finish on both sides	Special sizes	1,766
	Handle 38-2		
RAL 9016 white			
Golden Oak, Dark Oak and Titan Metallic Decograin finish			320
	TPS 900 GB	overall frame size	
	Steel entrance door, aluminium frame	920 x 2095	1,414
	Multi-point locking system	932 x 2095	1,414
	Stainless steel glazing frame	1001 x 2095	1,414
	Safety glazing matt finish on both sides	Special sizes	1,660
	Handle 38-2		
RAL 9016 white			
Golden Oak, Dark Oak and Titan Metallic Decograin finish			320
Special size range for TPS 010 GB, 020 GB, 030 GB (overall frame size)		844 x 1990 mm to 1250 x 2250 mm	
Special size range for TPS 700 GB, 800 GB, 900 GB (overall frame size)		875 x 1990 mm to 1250 x 2250 mm	
Optional extras			Price
Colours:			
White Aluminium RAL 9006, Terra Brown RAL 8028, Clay Brown RAL 8003, Ochre Brown RAL 8001, Window Grey RAL 7040, Light Grey RAL 7035, Stone Grey RAL 7030, Fir Green RAL 6009, Moss Green RAL 6005, Pigeon Blue RAL 5014, Steel Blue RAL 5011, Sapphire Blue RAL 5003, Ruby Red RAL 3003, Anthracite Grey RAL 7016, Light Ivory RAL 1015			99

Hörmann: quality without compromise



Hörmann KG Amshausen



Hörmann KG Antriebstechnik



Hörmann KG Brandis



Hörmann KG Brockhagen



Hörmann KG Dissen



Hörmann KG Eckelhausen



Hörmann KG Freisen



Hörmann KG Ichtshausen



Hörmann KG Werne



Hörmann Genk NV, Belgien



Hörmann Beijing, China



Hörmann Gadco LLC, Vonore TN, USA.

Hörmann is the only manufacturer worldwide that offers you a complete range of all major building products from one source. We are manufacturing in highly-specialised factories using the latest production technologies.

The close-knit network of sales - and service companies throughout Europe, and the activities in the USA and China make Hörmann your strong, international partner for first-class building products, offering "quality without compromise".

GARAGE DOORS

OPERATORS

INDUSTRIAL DOORS

LOADING TECHNOLOGY

HINGED DOORS

DOOR FRAMES